

SECTION III - COMPONENT LOCATION AND TERMINAL PHOTOGRAPHS




Fig. 3-1
1 — Blower motor




Fig. 3-2

- 1 — A/C control light
- 2 — A/C thermostat
- 3 — Blower switch
- 4 — Cigar lighter
- 5 — Heated rear window switch
- 6 — Fasten seat belt light
- 7 — Sliding roof switch
- 8 — Flasher switch





Fig 3-3
Relay location



- 1 — Main fuse box
- 2 — Heater blower pre-resistors
- 3 — Brake fluid switches
- 4 — Wiper motor

3-1




Fig. 3-5
1 — Foot pump switch




Fig. 3-6
1 — C 113




Fig. 3-7
1 — Auxiliary fan




Fig. 3-8
1 — Temperature switch, engine
2 — Temperature gauge sensor




Fig. 3-9
1 — Temperature switch, refrigerant




Fig. 3-10
1 — Reservoir and park brake light
2 — Low fuel warning light
3 — Charge indicator light
4 — High beam indicator
5 — Fuel gauge
6 — Instrument lights rheostat




Fig. 3-11
1 — Automatic choke pre-resistance heater relay
(can be located in either position)
1 — Temperature switch relay
(can be located in either position)
2 — choke pre-resistance
3 — Coil
4 — 0.4 ohm pre-resistor
5 — 0.5 ohm pre-resistor
6 — Transistorized ignition switching unit




Fig. 3-12
1 — Choke heating resistance




Fig. 3-13
1 — C 114




Fig. 3-14
Fuel tank sensor




Fig. 3-15
1 — Flasher relay
2 — Warning buzzer
3 — Time delay relay, heated rear window
4 — Logic relay
5 — Interval wipe timer
6 — C 104
7 — C 106




Fig. 3-16
1 — C 112




Fig. 3-17
1 – Idle fuel cut off valves




Fig. 3-18
1 – C 102




Fig. 3-19
1 – Kickdown switch




Fig. 3-20
1 – Rear dome light switch
2 – Light switch
3 – Combination switch




Fig. 3-21
1 – Engine temperature gauge sensor (230)




Fig. 3-22
1 – Engine temperature gauge sensor (240D)




Fig. 3-23
1 — Auxiliary fan relay




Fig. 3-24
1 — Terminal 1
2 — Terminal 2
3 — Terminal 3
4 — Terminal 4




Fig. 3-25
1 — Choke heater
2 — Idle fuel cut off valve




Fig. 3-26
1 — RPM test plug
2 — Ignition coil
3 — 0.4 ohm pre-resistor
4 — 0.6 ohm pre-resistor
5 — Delay relay




Fig. 3-27
1 — Change over switch