

Shown on model 124

Exhaust system ..... remove (49-7000).

In place of rubber grommet of connection

cable of oxygen sensor insert a dummy plug. 

Note

Not applicable to vehicles without closed-loop

catalytic converter.

exchange with version without catalytic Front exhaust system (2f) ......

converter (2h).

install (49-7000). Exhaust system ......

Resistance trimming plug for EZL ignition

control unit and KE control unit ...... exchange (MF system).

Note

New resistance trimming plug for KE control unit

must be sealed.

Engine data plate ..... replace.

Engine as per data plate ....... set: ignition timing point, CO level, idle speed

(07.3-2053).

Affix ASU disc to front license plate and issue

test certificate.

Guide funnel in filler neck ...... remove (47-4100, section A).

Fuel information plate for unleaded fuel ...... remove.

Note

On vehicles with multi-functional mixture preparation and ignition system (MF), affix fuel

information plate 124 583 36 21 A.

## Commercially available tools and testers (see Workshop Equipment Manual)

Designation	e.g. Make, order no.	
Engine tester with oscilloscope	Bosch, MOT 002.02	
CO analyzer		

## **Parts**

Designation	Engine	Part no.
Sealing wire	-	001 367 00 00 15
Seal	_	000 988 09 70
Engine data plate	103.940/941/982 without KAT 103.983/981/982 without KAT	124 584 57 21 124 584 60 21

Vehicles fitted with a catalytic converter must not be operated with leaded fuel. For this reason, the catalytic converter and other components must be removed and the engine setting also altered for traveling in countries in which unleaded fuel is either not available or not throughout the country.

Basically, such customers who wish a conversion should be advised to consider a cost/benefit analysis.

Apart from the purely technical conversion work, a point to consider is that a vehicle registered in the Federal Republic of Germany must be presented to the Technical Inspection Centre for Motor Vehicles following the conversion and this may affect the reduction or the temporary exemption from vehicle license duty.

If the converted vehicle has to be presented to a Technical Inspection Centre for Motor Vehicles, a confirmation relating to the applicable technical data of the vehicle following conversion is essential. This confirmation, relating to the individual vehicle, must be requested in good time from our department EP/BZT. Such an application should be submitted together with a copy of the vehicle registration documents.

## Note

In the event that a customer wishes to have his vehicle equipped again with a catalytic converter at a later date, the removed parts should be made available to him.

We should like to point out that the re-installation must be approved by a Technical Inspection Centre for Motor Vehicles.

In this connection also, an individual confirmation should be requested in good time from our departmenet EP/BZT, enclosing a copy of the vehicle registration documents.